

Protocol Title	Title Acronym	Disease	Diagnosis Stage	Location	Link
International Phase 3 trial in Philadelphia chromosome-positive acute lymphoblastic leukaemia (Ph+ ALL) testing imatinib in combination with two different cytotoxic chemotherapy backbones	AALL1631	Leukaemia (ALL)	New diagnosis	NSW, QLD, WA, SA, New Zealand	External Link
A Phase 3 Trial Investigating Blinatumomab (IND# 117467& NSC# 765986) in Combination with Chemotherapy in Patients with Newly Diagnosed Standard Risk or Down Syndrome B Lymphoblastic Leukemia (B-ALL) and the Treatment of Patients with Localized B-Lymphoblastic Lymphoma (B-LLv)	AALL1731	Leukaemia (ALL)	New diagnosis	NSW, VIC, QLD, WA, SA, New Zealand	External Link
A Phase 3 Randomized Trial of Inotuzumab Ozogamicin (NSC#: 772518) for Newly Diagnosed High-Risk B-ALL; Risk-Adapted Post-Induction Therapy for High-Risk B-ALL, Mixed Phenotype Acute Leukemia, and Disseminated B-LLv	AALL1732	Leukaemia (ALL)	New Diagnosis	NSW, VIC, QLD, WA, SA, New Zealand	External Link
Risk-stratified Therapy for Acute Myeloid Leukemia in Down Syndrome	AAML1531	Leukaemia	New diagnosis	NSW, VIC, WA, New Zealand	External Link
Stopping Tyrosine Kinase Inhibitors (TKI) to Assess Treatment-Free Remission (TFR) in Pediatric Chronic Myeloid Leukemia - Chronic Phase (CML-CP)	AAML18P1	Chronic Myeloid Leukaemia	On treatment	VIC, WA	External Link
A phase I study of vinorelbine, cyclophosphamide and Rapamycin for recurrent malignancies in children	ACCT007 (Rap-CV)	Malignancies	Relapsed/refractory	NSW, VIC, WA, SA, New Zealand	External Link
Application of innovative molecular profiling techniques to improve diagnosis of paediatric central nervous system tumours and develop an accredited Australasian molecular profiling service.	ACCT009 (AIM BRAIN PROject)	Central Nervous System Tumours	New Diagnosis Relapse	NSW, VIC, QLD, WA, SA, TAS, New Zealand	External Link
A phase 2 study of reduced therapy for newly diagnosed average-risk WNT-driven medulloblastoma patients	ACNS1422	Medulloblastoma	New diagnosis	NSW, WA, SA	External Link
A Phase 2 Study of Veliparib (ABT-888, IND# 139199) and Local Irradiation, Followed by Maintenance Veliparib and Temozolomide, in Patients with Newly Diagnosed High-Grade Glioma (HGG) without H3 K27M or BRAFV600E Mutations	ACNS1721	Anaplastic Astrocytoma Glioblastoma Malignant Glioma	New diagnosis	NSW, VIC, QLD, WA, New Zealand	External Link
Australian Cardio-Oncology Registry	ACOR	All tumour types	Newly diagnosed	NSW, VIC, QLD, WA, SA, TAS	
A study to evaluate the safety and tolerability and pharmacokinetics of ACT001 in children with advanced brain and solid tumors	ACT001-AU-002	Advanced brain tumour Advanced solid tumour	Relapse/refractory	NSW, QLD, WA	External Link
Patient Responses to Treatments: An Acute Leukaemia Registry; Minimal Residual Disease testing; Molecular Subtyping and Biobanking for Future Research	Acute Leukaemia Registry	Leukaemia		NSW,	
A Phase 3 Study of Active Surveillance for Low Risk and a Randomized Trial of Carboplatin vs. Cisplatin for Standard Risk Pediatric and Adult Patients with Germ Cell Tumors	AGCT1531	Germ Cell Tumour	New diagnosis	NSW, VIC, QLD, WA, New Zealand	External Link
Paediatric hepatic malignancy international therapeutic trial (PHITT)	AHEP1531	Hepatoblastoma Hepatocellular carcinoma	New diagnosis	NSW, VIC, QLD, WA, New Zealand	External Link
Multicenter, Open Label, Phase 3 Study of Tabelecleucel for Solid Organ or Allogeneic Hematopoietic Cell Transplant Subjects with Epstein-Barr Virus-Associated Post-Transplant Lymphoproliferative Disease after Failure of Rituximab or Rituximab and Chemotherapy	ALLELE (ATA129-EBV-302)	EBV post transplant	Refractory	VIC, WA, NSW	External Link
Key Adverse Events After Childhood Cancer	ALTE03N1	Childhood Malignant Neoplasm	Previously treated	SA, QLD, WA	External Link
Neuropsychological and Social and Emotional and Behavioral Outcomes in Children with Cancer	ALTE07C1	All Tumour Types	New diagnosis Relapse/refractory	NSW, VIC, QLD, WA, New Zealand	External Link
Health Effects after Anthracycline and Radiation Therapy (HEART): Dexrazoxane and Prevention of Anthracycline-related Cardiomyopathy	ALTE11C2	Leukaemia Lymphoma	Previously treated	WA	External Link
LEAHRN (Late Effects After High-Risk Neuroblastoma) Study	ALTE15N2	Recurrent Neuroblastoma	Relapse/refractory	WA, New Zealand	External Link
Neuroblastoma Biology Studies	ANBL00B1	Solid tumours (Neuroblastoma)	New diagnosis	NSW, VIC, QLD, WA, SA, New Zealand	External Link

Utilizing Response- and Biology-Based Risk Factors to Guide Therapy in Patients with Non-High-Risk Neuroblastoma	ANBL1232	Ganglioneuroblastoma Neuroblastoma	Relapse/refractory	NSW, QLD, WA, SA, New Zealand	External Link
A Phase 2 Randomised Study of Irinotecan/Temozolomide/Dinutuximab with or without Eflornithine (DFMO) (IND# TBD) in Children with Relapsed& Refractory or Progressive Neuroblastoma	ANBL1821	Solid tumours (Neuroblastoma)	Relapse/refractory	NSW, VIC, QLD, WA, New Zealand	External Link
Pilot Study of Dinutuximab, Sargramostim (GM-CSF), and Isotretinoin in Combination with Irinotecan and Temozolomide in the Post-Consolidation Setting for High-Risk Neuroblastoma	ANBL19P1	Neuroblastoma	New Diagnosis	WA	External Link
Phase 3 Accelerated BEP Trial: A randomised phase 3 trial of accelerated versus standard BEP chemotherapy for patients with intermediate and poor-risk metastatic germ cell tumours	ANZUP 1302	Germ Cell Tumour	New diagnosis	QLD, New Zealand	External Link
Project: EveryChild A Registry and Eligibility Screening and Biology and Outcome Study	APEC14B1	All Tumour Types		NSW, VIC, QLD, WA, SA, New Zealand	External Link
Renal Tumors Classification, Biology, and Banking Study	AREN03B2	Renal tumours	Newly diagnosed	NSW, VIC, QLD, WA, New Zealand	External Link
Treatment of Newly Diagnosed Diffuse Anaplastic Wilms Tumors (DAWT) and Relapsed Favorable Histology Wilms Tumors (FHWT)	AREN1921	Wilms	New Diagnosis Relapse	WA,	External Link
A Multicenter, Open-label Phase 1b Study of the Combination of Binimetinib and Encorafenib in Adolescent Patients with Unresectable or Metastatic BRAF V600-mutant Melanoma	ARRAY-162-115	Solid tumours	New diagnosis Relapse/refractory	NSW, VIC	External Link
A randomized Phase III study of vincristine& dactinomycin& cyclophosphamide (VAC) alternating with vincristine and irinotecan (VI) versus VAC/VI plus temsirolimus (TEM) in patients with intermediate risk (IR) rhabdomyosarcoma (RMS)	ARST1431	Rhabdomyosarcoma	New diagnosis	NSW, QLD, WA, New Zealand	External Link
A Safety, Pharmacokinetic and Efficacy Study of a γ -Secretase Inhibitor, Nirogacestat (PF-03084014) in Children and Adolescents With Progressive, Surgically Unresectable Desmoid Tumors	ARST1921	Desmoid-Type Fibromatosis	New Diagnosis Relapse	WA	External Link
Acute Lymphoblastic Leukaemia Subtype and Side-Effects from Treatment - Nationwide analysis of severe treatment-related toxicity in childhood leukaemia	ASSET	Leukaemia	Previously treated	NSW, VIC, WA, SA, New Zealand	External Link
A randomised and open-label and active controlled and safety and extrapolated efficacy study in paediatric subjects requiring anticoagulation for the treatment of a venous thromboembolic event (Phase IV) Apixaban	B0661037	Venous Thromboembolism	New Diagnosis Relapse/Refractory	NSW	External Link
Analysis of Total Busulfan Exposure for Once Daily Intravenous Dosing in Paediatric Haematopoietic Stem Cell Transplantation- An ANZCHOG Pilot Study	Bu4Day-PK-2016	Haematopoietic Stem Cell Transplant	New Diagnosis Relapse/Refractory	WA, NSW, QLD	External Link
Phase 1/2 Study of Bempegaldesleukin in Combination With Nivolumab in Children, Adolescents, and Young Adults With Recurrent or Refractory Malignancies (PIVOT IO 020)	CA045020 / NKTR-214	All tumour types	Relapsed/refractory	WA, NSW	External Link
A Phase 1 Study of CD19 Specific Chimeric Antigen Receptor T-cell for Therapy of persistent and Relapsed B-cell leukaemia and Lymphoma Post Allogeneic Stem Cell Transplantation (The CARTELL Study)	CARTELL	Leukaemia (Other Leukaemia)	Relapse/refractory	NSW	External Link
Developing genetically modified TCells for the treatment of paediatric solid tumours	CARTpaedST	Solid tumours	New diagnosis	NSW	
Long Term Follow-Up of Patients Exposed to Lentiviral-Based CAR T-Cell Therapy	CCTL019A2205B		Previously treated	VIC	External Link
Phase 1b/2 Study of Carfilzomib in Combination with Dexamethasone and Mitoxantrone and PEG-asparaginase& and Vincristine (UK R3 Induction Backbone) in Children with Relapsed or Refractory Acute Lymphoblastic Leukaemia	CFZ2008 / 20140106	Acute Lymphoblastic Leukaemia (ALL)	Relapse/refractory	NSW, VIC, QLD, WA	External Link
A Phase I/II Open-label and Single-arm and Multi-center Study of Ruxolitinib Added to Corticosteroids in Pediatric Patients With Grade II-IV Acute Graft vs. Host Disease After Allogeneic Hematopoietic Stem Cell Transplantation	CINC424F12201 / REACH4	Acute Graft Versus Host Disease	New Diagnosis Relapse/Refractory	NSW	External Link
A pilot and surgical study of larotrectinib for treatment of children with newly-diagnosed high-grade glioma with NTRK fusion	CONNECT1903	Brain and Spinal Tumours (High Grade Gliomas)	New diagnosis	WA	External Link

A Phase 2, Open-Label, Multicenter Study to Evaluate the Safety and Efficacy of the Oral Pan-RAF Inhibitor DAY101 in Pediatric Patients With BRAF-Altered, Recurrent or Progressive Low-Grade Glioma	DAY101-001 (FIREFLY)	Low-grade Glioma	Relapse/refractory	WA, NSW	External Link
A Phase 1, Open-Label, Dose Escalation Study of CLR 131 in Children and Adolescents with Select Solid Tumors, Lymphoma, and Malignant Brain Tumors	DCL-17-001	Various	Relapsed/Refractory/Recurrent	NSW	External Link
International Diffuse Intrinsic Pontine Glioma (DIPG)/Diffuse Midline Glioma (DMG) Registry and Repository	DIPG	Diffuse Intrinsic Pontine Glioma		WA	External Link
A Multicenter, Open-label, Randomized Phase 2 Study to Compare the Efficacy and Safety of Lenvatinib in Combination with Ifosfamide and Etoposide versus Ifosfamide and Etoposide in Children, Adolescents and Young Adults with Relapsed or Refractory Osteosarcoma	E7080-G000-230 (OLIE)	Solid tumours (Osteosarcoma)	Relapsed/refractory	NSW, VIC, QLD, WA, New Zealand	External Link
A Phase 1 Study of Intravenous EGFR-ErbituxEDVSMIT (EEDVSMit) in Children with Recurrent / Refractory Solid or CNS Tumours Expressing Epidermal Growth Factor Receptor (EGFR)	ECREST	Solid tumours / CNS tumours	Relapse/refractory	NSW, QLD	External Link
A Phase 3 Open-label, Multicenter Study of the Safety, Efficacy, and Pharmacokinetics of Intravenous Recombinant Coagulation Factor VIII Fc-von Willebrand Factor-XTEN Fusion Protein (rFVIII-Fc-VWF-XTEN; BIVV001) in Previously Treated Pediatric Patients <12 Years of Age With Severe Hemophilia A	EFC16295	Hemophilia A	Recurrent/ refractory	QLD	External Link
A Phase I Study of the EZH2 Inhibitor Tazemetostat in Pediatric Subjects with Relapsed or Refractory IN11-Negative Tumors or Synovial Sarcoma	EZH102	Solid tumours	Relapse/refractory	QLD	External Link
Newly Diagnosed Children (<10 y/o) With Medulloblastoma and Other CNS Embryonal Tumors Clinical and Molecular Risk-Tailored Intensive and Compressed Induction Chemotherapy Followed by Consolidation With Randomization to Either Single Cycle or to Three Tandem Cycles of Marrow-Ablative Chemotherapy With Autologous Hematopoietic Progenitor Cell Rescue	HeadStart4	Medulloblastoma / PNET	Newly diagnosed	New Zealand	External Link
Post mortem tumour donation for Diffuse Intrinsic Pontine Glioma – developing DIPG cell cultures to test novel therapeutic strategies	HoTRODS	Diffuse Pontine Glioma Diffuse Midline Glioma High grade glioma	New Diagnosis Relapse	NSW, WA	External Link
Exploratory multinational phase I/II combination study of Nivolumab and Entinostat in children and adolescents with refractory high-risk malignancies	INFORM2 NivEnt	CNS Tumour Solid Tumour	Recurrent/refractory	NSW, VIC, WA	External Link
A clinical trial of donor-derived WT1 specific T cells for prevention of relapse in combination with multiple pathogen specific T cells for prevention of infection in patients undergoing allogeneic haemopoietic stem cell transplant for acute myeloid leukaemia	INTACT-TAA	Leukaemia (AML)	Relapse/refractory	NSW	External Link
International Collaborative Treatment Protocol for Infants Under One Year With Acute Lymphoblastic or Biphenotypic Leukemia	Interfant-06	Leukaemia			External Link
A Phase 1 Study of Aurora Kinase A Inhibitor LY3295668 erbumine as a Single Agent and in Combination in Patients with Relapsed/Refractory Neuroblastoma	J10-MC-JZHD	Solid tumours	Relapsed/refractory	NSW, WA	External Link
International Collaborative Treatment Protocol for Children and Adolescents with Langerhans Cell Histiocytosis	LCH-IV	Langerhans Cell Histiocytosis	New diagnosis	NSW, VIC, QLD, WA, New Zealand	External Link
Liquid biopsies for molecular monitoring of paediatric solid tumours	LIBIO	Solid tumours		NSW	
European Low and Intermediate Risk Neuroblastoma	LINES	Solid tumours (Neuroblastoma)	New diagnosis	NSW, VIC, WA	External Link
A Phase 1/2 Study of the TRK Inhibitor LOXO-195 in Adult and Pediatric Subjects With Previously Treated NTRK Fusion Cancers	LOXO-EXT-17005	Solid tumours	Relapse/refractory	NSW, VIC	External Link
A Phase I/II Study of the Oral RET inhibitor LOXO 292 in Paediatric patients with Advanced RET-Altered Solid or Primary Central Nervous System Tumours	LOXO-RET-18036	Brain and Spinal Tumours	Relapse/refractory	NSW, VIC	External Link
A Phase 1/2 Study of the Oral TRK Inhibitor LOXO-101 in Pediatric Patients With Advanced Solid or Primary Central Nervous System Tumors	LOXO-TRK-15003	Solid tumours	New diagnosis Relapse/refractory	NSW, VIC	External Link
A Phase I Study of the Safety and Pharmacokinetics of Venetoclax in Paediatric and Young Adult Patients with Relapsed or Refractory Malignancies	M13-833	Leukaemia (ALL/AML)	Relapse/refractory	NSW, VIC, QLD, SA	External Link

A Phase I/II Study of Pembrolizumab (MK-3475) in Children with advanced melanoma or a PD-L1 positive advanced and relapsed or refractory solid tumor or lymphoma	MK-3475-051	Solid Tumour Lymphoma	Relapse/refractory	NSW, QLD, VIC	External Link
An Open-Label, Multicenter Phase 2 Basket Study to Evaluate the Antitumor Activity and Safety of Lenvatinib in Children, Adolescents, and Young Adults with Relapsed or Refractory Solid Malignancies	MK-7902-013	Solid tumours	Relapsed/refractory	NSW, QLD, WA, New Zealand	External Link
A Phase 2b open-label & single-arm study to evaluate pharmacokinetics& efficacy& safety and tolerability of letermovir in pediatric participants from birth to <18 years of age at risk of developing CMV infection and/or disease following allogeneic HSCT	MK-8228-030	Cytomegalovirus (CMV) Infection	New Diagnosis Relapse/Refractory	NSW, VIC, QLD	External Link
Prospective Study Registry of Peripheral Neuroblastic Tumours Presenting with Spinal Canal Involvement (SCI)	NB SCI Registry	Neuroblastoma		NSW, VIC, QLD, WA, SA, TAS	External Link
A phase II & open-labeled & multi-center & randomized controlled trial of Vinblastine +/- Bevacizumab for the treatment of chemotherapy-naive children with unresectable or progressive low grade glioma	OZM-063 (LGG Avastin)	Brain and Spinal Tumours (Low Grade Gliomas)	New diagnosis Relapse/refractory	NSW, VIC, QLD, WA, SA, New Zealand	External Link
Phase I clinical trial of adoptive transfer of multi-virus-specific T cells into TCRaβ+/CD19+-depleted haploidentical HSCT recipients	P3505	Haematological diseases	New Diagnosis Relapse/Refractory	QLD	External Link
TCR a+β+/CD19+ cell depleted haploidentical donor stem cell transplantation for paediatric patients	Pablo	Bone marrow transplant	New Diagnosis	NSW, VIC, QLD, WA, New Zealand	External Link
Phase 1/2 Dose Finding and Safety and Efficacy Study of Ibrutinib in Pediatric Subjects with Chronic Graft Versus Host Disease (cGVHD)	PCYC-1146-IM	Chronic Graft Versus Host Disease	New Diagnosis Relapse/Refractory	NSW, VIC, QLD	External Link
A Randomized, Double-Blinded, Pilot Trial of Neoadjuvant Checkpoint Inhibition followed by Combination Adjuvant Checkpoint Inhibition in Children and Young Adults with Recurrent or Progressive High Grade Glioma (HGG)	PNOC 0019	Brain and Spinal Tumours (High Grade Gliomas)	Relapsed/refractory	WA, NSW, QLD, VIC	External Link
A Pivotal Phase 1/2, Single-Arm, Open-label Study to Evaluate the Safety and Efficacy of Ponatinib with Chemotherapy in Pediatric Patients with Philadelphia Chromosome-Positive (Ph+) Acute Lymphoblastic Leukemia (ALL) Who Have Relapsed or Are Resistant or Intolerant to a Prior Tyrosine Kinase Inhibitor-Containing Therapy or Who Have the T315I Mutation	Ponatinib-1501 /AALL1922	Leukaemia (ALL)	Relapse/refractory	VIC, WA	External Link
International Pleuropulmonary Blastoma Registry for PPB, DICER1 and Associated Conditions	PPB DICER	Pleuropulmonary Blastoma		WA	External Link
Assessment of the Utility of Family-based (Trio) Whole-genome Sequencing for Cancer Predisposition Testing in Sequential Newly Diagnosed Paediatric and Adolescent Cancer Patients	PREDICT	All tumour types	Newly diagnosed	NSW	External Link
PRecSiOn Medicine for Children with Cancer	PRISM	All Tumour Types	New Diagnosis Relapse/Refractory	NSW, VIC, QLD, WA, SA	External Link
Ph3, Randomized, Double-Blind, Placebo-Controlled, Parallel-Group Study With Open Label Extension to Evaluate the Efficacy and Safety of Oral Rilzabrutinib in Adults and Adolescents With Persistent or Chronic Immune Thrombocytopenia (ITP)	PRN1008-018	Immune Thrombocytopenia	Recurrent/ refractory	QLD	External Link
A phase 1 trial of HLA-DR matched third party donor-derived fungus-specific cytotoxic T-lymphocytes in patients with invasive fungal disease post-allogeneic stem cell transplantation	R3ACT Fungal	Invasive Fungal Disease	Newly diagnosed Relapsed/Refractory	NSW	External Link
A Phase II Canadian Pediatric Brain Tumour Consortium Study of Re-Irradiation as Treatment of Progressive or Recurrent Diffuse Intrinsic Pontine Glioma	ReRAD	Brain and Spinal Tumours	Relapsed/refractory	NSW, VIC, QLD, WA, New Zealand	External Link
International Randomised Controlled Trial of Chemotherapy for the Treatment of Recurrent and Primary Refractory Ewing Sarcoma	RG_13-277 (rEECur)	Solid tumours (Ewings sarcoma)	Relapse/refractory	NSW, VIC, QLD, WA, SA, New Zealand	External Link
International Randomised Phase III Clinical Trial in Children with Acute Myeloid Leukaemia - Incorporating an Embedded Dose Finding Study for Gemtuzumab Ozogamicin in Combination with Induction Chemotherapy	RG_14-088 (MyeChild-01)	Leukaemia (AML)	New diagnosis	NSW, VIC, QLD, WA, SA, New Zealand	External Link
A Phase II study evaluating the activity of Pegylated recombinant human Arginase (BCT-100) in Relapsed/refractory Cancers of childhood	RG_16-040 (PARC)	All Tumour Types (Other)	Relapse/refractory	NSW, VIC, QLD, WA, SA	External Link

An Overarching Study for Children and Adults With Frontline and Relapsed RhabdoMyoSarcoma	RG_17-427 (FAR-RMS)	Rhabdomyosarcoma	Relapsed/refractory	VIC, NSW, WA, New Zealand	External Link
Using single-cell RNA-sequencing to identify clonal enrichment in paediatric solid tumours	SCRIPT	Solid tumours		NSW	
Phase 1 Evaluation Of Ly2606368& A Molecularly Targeted Chk1/2 Inhibitor Therapy& In Combination With Cyclophosphamide Or Gemcitabine For Children And Adolescents With Refractory Or Recurrent Group 3/Group 4 Or Shh Medulloblastoma Brain Tumors	SJ ELiOT	Brain and Spinal Tumours (Medulloblastoma/PNET)	Relapse/refractory	NSW, VIC, QLD, WA	External Link
A Clinical and Molecular Risk-Directed Therapy For Newly Diagnosed Medulloblastoma	SJMB12	Brain and Spinal Tumours (Medulloblastoma/PNET)	New diagnosis	NSW, VIC, QLD, WA, New Zealand	External Link
International collaborative treatment protocol for children and adolescents with acute lymphoblastic leukemia (A randomized Phase III study conducted by the AIEOP-BFM study group)	Study10	Lymphoblastic leukaemia	Newly diagnosed	NSW	External Link
A TACL Phase 1/2 Study of PO Ixazomib in combination with chemotherapy for childhood relapsed or refractory ALL and Lymphoblastic Lymphoma (Takeda)	T2017-002	Leukaemia (ALL)	Relapsed/refractory	NSW	External Link
Tumor-Agnostic Precision Immunooncology and Somatic Targeting Rational for You (TAPISTRY) Phase II Platform Trial	TAPISTRY	All tumour types	Relapsed/refractory	NSW	External Link
A phase II study of trametinib in paediatric, adolescent and young adult patients with neurofibromatosis type 1 associated plexiform neurofibromas or progressive optic pathway gliomas	TiNT	Solid tumours (Other Solid Tumour)	Relapsed/refractory	NSW, VIC, QLD, WA, New Zealand	External Link
A phase 1/2, open-label safety, tolerability, pharmacokinetics and anti-tumour activity study of repotrectinib in paediatric and young adult subjects with advanced or metastatic malignancies harbouring ALK, ROS1 or NTRK1-3 alterations	TPX-0005-07	Solid tumours	Relapsed/refractory	NSW, QLD, WA	External Link