Protocol Title	Title Acronym	Disease	Diagnosis Stage	Location	Link
International Phase 3 trial in Philadelphia chromosome-positive acute lymphoblastic leukaemia (Ph+ ALL) testing imatinib in combination with two different cytotoxic chemotherapy backbones	AALL1631	Leukaemia (ALL)	New diagnosis	NSW, QLD, WA, SA, New Zealand	External Link
A Phase 3 Trial Investigating Blinatumomab (IND# 117467& NSC# 765986) in Combination with Chemotherapy in Patients with Newly Diagnosed Standard Risk or Down Syndrome B Lymphoblastic Leukemia (B-ALL) and the Treatment of Patients with Localized B-Lymphoblastic Lymphoma (B-LLy)	AALL1731	Leukaemia (ALL)	New diagnosis	NSW, VIC, WA, SA, New Zealand	External Link
A Phase 3 Randomized Trial of Inotuzumab Ozogamicin (NSC#: 772518) for Newly Diagnosed High-Risk B-ALL; Risk-Adapted Post-Induction Therapy for High-Risk B-ALL, Mixed Phenotype Acute Leukemia, and Disseminated B-LLy	AALL1732	Leukaemia (ALL)	New Diagnosis	NSW, VIC, QLD, WA, SA, New Zealand	External Link
Risk-stratified Therapy for Acute Myeloid Leukemia in Down Syndrome	AAML1531	Leukaemia	New diagnosis	NSW, VIC, WA, New Zealand	<u>External Link</u>
Stopping Tyrosine Kinase Inhibitors (TKI) to Assess Treatment-Free Remission (TFR) in Pediatric Chronic Myeloid Leukemia - Chronic Phase (CML-CP)	AAML18P1	Chronic Myeloid Leukaemia	On treatment	VIC, WA	External Link
A phase 2 study of reduced therapy for newly diagnosed average-risk WNT-driven medulloblastoma patients	ACNS1422	Medulloblastoma	New diagnosis	NSW, WA, SA	External Link
A Phase 1/2 Trial of Selinexor (KPT-330) and Radiation Therapy in Newly-Diagnosed Pediatric Diffuse Intrinsic Pontine Glioma (DIPG) and High-Grade Glioma (HGG)	ACNS1821	Diffuse Intrinsic Pontine Glioma	Newly diagnosed	QLD, New Zealand	External Link
A Phase 2 Trial of Chemotherapy Followed by Response-Based Whole Ventricular &Amp Spinal Canal Irradiation (WVSCI) for Patients With Localized Non- Germinomatous Central Nervous System Germ Cell Tumor	ACNS2021	Brain and Spinal Tumours	Newly diagnosed	WA, QLD, NSW, New Zealand, VIC	External Link
Australian Cardio-Oncology Registry	ACOR	All tumour types	Newly diagnosed	NSW, VIC, WA, SA, TAS	
A study to evaluate the safety and tolerability and pharmacokinetics of ACT001 in children with advanced brain and solid tumors	ACT001-AU-002	Advanced brain tumour Advanced solid tumour	Relapse/refractory	NSW, WA	External Link
Patient Responses to Treatments: An Acute Leukaemia Registry; Minimal Residual Disease testing; Molecular Subtyping and Biobanking for Future Research	Acute Leukaemia Registry (HALP)	Leukaemia		NSW, VIC, QLD, TAS, WA	
Paediatric hepatic malignancy international therapeutic trial (PHITT)	AHEP1531	Hepatoblastoma Hepatocellular carcinoma	New diagnosis	NSW, VIC, QLD, WA, New Zealand	External Link
Multicenter, Open Label, Phase 3 Study of Tabelecleucel for Solid Organ or Allogeneic Hematopoietic Cell Transplant Subjects with Epstein-Barr Virus- Associated Post-Transplant Lymphoproliferative Disease after Failure of Rituximab or Rituximab and Chemotherapy	ALLELE (ATA129-EBV-302)	EBV post transplant	Refractory	VIC, WA, NSW	External Link
Key Adverse Events After Childhood Cancer	ALTE03N1	Childhood Malignant Neoplasm	Previously treated	SA, QLD, WA	External Link
Neuropsychological and Social and Emotional and Behavioral Outcomes in Children with Cancer	ALTE07C1	All Tumour Types	New diagnosis Relapse/refractory	VIC, QLD, WA, New Zealand	External Link
Health Effects after Anthracycline and Radiation Therapy (HEART): Dexrazoxane and Prevention of Anthracycline-related Cardiomyopathy	ALTE11C2	Leukaemia Lymphoma	Previously treated	WA	External Link

LEAHRN (Late Effects After High-Risk Neuroblastoma) Study	ALTE15N2	Recurrent Neuroblastoma	Relapse/refractory	WA, New Zealand	External Link
A Phase 1B/2A Study of the Safety, Tolerability and Initial Efficacy of Oral AMXT 1501 Dicaprate and Intravenous Difluoromethylornithine (DFMO) in Patients with Cancer	AMXT1501-102	All Cancer Types	New diagnosis Relapse/refractory	NSW	External Link
A Phase 2 Randomised Study of Irinotecan/Temozolomide/Dinutuximab with or without Eflornithine (DFMO) (IND# TBD) in Children with Relapsed& Refractory or Progressive Neuroblastoma	ANBL1821	Solid tumours (Neuroblastoma)	Relapse/refractory	NSW, VIC, QLD, WA, SA New Zealand	External Link
NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)- Phase 2 Subprotocol of Ensartinib in Patients With Tumors Harboring ALK or ROS1 Genomic Alterations	APEC1621F	All tumour types	Relapsed/refractory	WA	External Link
A Randomized Phase 3 Trial of Nivolumab (NSC# 748726) in Combination With Chemo-Immunotherapy for the Treatment of Newly Diagnosed Primary Mediastinal B-Cell Lymphoma	ANHL1931	Lymphoma	Newly diagnosed	NSW, QLD, VIC	External Link
Phase 3 Accelerated BEP Trial: A randomised phase 3 trial of accelerated versus standard BEP chemotherapy for patients with intermediate and poor-risk metastatic germ cell tumours	ANZUP 1302	Germ Cell Tumour	New diagnosis	QLD, New Zealand	External Link
A Phase 3 Randomized Controlled Trial Comparing Open vs Thoracoscopic Management of Pulmonary Metastases in Patients With Osteosarcoma	AOST2031	Osteosarcoma	Newly diagnosed	New Zealand, VIC, WA	External Link
A randomized phase 3 trial of fludarabine/cytarabine/gemtuzumab ozogamicin with or without venetoclax in children with relapsed AML	APAL2020D	Acute myeloid leukemia	Relapsed/refractory	WA, QLD, New Zealand, VIC	External Link
Pediatric Acute Leukemia (PedAL) Screening Trial - Developing New Therapies for Relapsed Leukemias	APAL2020SC	Leukaemia	Relapsed/refractory	NSW, VIC, WA, New Zealand	External Link
Project: EveryChild A Registry and Eligibility Screening and Biology and Outcome Study	APEC14B1	All Tumour Types		NSW, VIC, QLD, WA, SA, New Zealand	External Link
Renal Tumors Classification, Biology, and Banking Study	AREN03B2	Renal tumours	Newly diagnosed	NSW, VIC, QLD, WA, New Zealand	External Link
Treatment of Newly Diagnosed Diffuse Anaplastic Wilms Tumors (DAWT) and Relapsed Favorable Histology Wilms Tumors (FHWT)	AREN1921	Wilms	New Diagnosis Relapse	WA, QLD, New Zealand, NSW	External Link
A randomized Phase III study of vincristine& dactinomycin& cyclophosphamide (VAC) alternating with vincristine and irinotecan (VI) versus VAC/VI plus temsirolimus (TEM) in patients with intermediate risk (IR) rhabdomyosarcoma (RMS)	ARST1431	Rhabdomyosarcoma	New diagnosis	NSW, QLD, WA, New Zealand	External Link
A Randomized Phase 3 Trial of Vinorelbine, Dactinomycin, and Cyclophosphamide (VINO-AC) Plus Maintenance Chemotherapy with Vinorelbine and Oral Cyclophosphamide (VINO-CPO) vs Vincristine, Dactinomycin and Cyclophosphamide (VAC) plus VINO-CPO Maintenance in Patients with High Risk Rhabdomyosarcoma (HR-RMS)	ARST2031	Rhabdomyosarcoma	Newly diagnosed	NSW, WA	External Link
A Prospective Phase 3 Study of Patients With Newly Diagnosed Very Low-Risk and Low-Risk Fusion Negative Rhabdomyosarcoma	ARST2032	Rhabdomyosarcoma	Newly diagnosed	NSW, WA, New Zealand	External Link
Leukemia or Myelodysplastic Syndrome (MDS)	ACCT2021	Leukaemia Myelodysplastic Syndrome	Newly diagnosed	NSW	External Link
Acute Lymphoblastic Leukaemia Subtype and Side-Effects from Treatment - Nationwide analysis of severe treatment-related toxicity in childhood leukaemia	ASSET	Leukaemia	Previously treated	NSW, VIC, WA, SA, New Zealand	External Link

A randomised and open-label and active controlled and safety and extrapolated efficacy study in paediatric subjects requiring anticoagulation for the treatment of a venous thromboembolic event (Phase IV) Apixaban	B0661037	Venous Thromboembolism	New Diagnosis Relapse/Refractory	NSW	External Link
A Phase 1/2, Single-arm Study to Evaluate the Safety, Pharmacokinetics, and Antitumor Activity of Avapritinib in Pediatric Patients with Solid Tumors Dependent on KIT or PDGFRA Signaling	BLU-285-3101	Solid tumours	Relapse/refractory	NSW	External Link
Analysis of Total Busulfan Exposure for Once Daily Intravenous Dosing in Paediatric Haematopoietic Stem Cell Transplantation- An ANZCHOG Pilot Study	Bu4Day-PK-2016	Haematopoietic Stem Cell Transplant	New Diagnosis Relapse/Refractory	WA, NSW, QLD	External Link
A Randomized, Open-Label, Phase 2 Study Evaluating Abemaciclib in Combination With Irinotecan and Temozolomide in Participants With Relapsed or Refractory Ewing's Sarcoma	CAMPFIRE- J1S-MC-JP04	Ewing Sarcoma	Relapsed/refractory	VIC, NSW	External Link
Developing genetically modified TCells for the treatment of paediatric solid tumours	CARTpaedST	Solid tumours	New diagnosis	NSW	
A Phase 1/2 Study of the Safety, Tolerability, Pharmacokinetics and Preliminary Efficacy of Relatlimab Plus Nivolumab in Pediatric and Young Adult Participants with Recurrent or Refractory Classical Hodgkin Lymphoma and Non-Hodgkin Lymphoma	CA224-069	Lymphoma	Relapsed/Refractory	WA, QLD, NSW	External Link
A Two-stage Double-blind, Randomized, Placebo-controlled Study to Assess the Efficacy, Safety and Pharmacokinetics of Alpelisib in Pediatric and Adult Patients With Lymphatic Malformations Associated With a PIK3CA Mutation.	CBYL719P12201	Lymphatic Malformations	Newly diagnosed Relapsed/Refractory	QLD	External Link
Long Term Follow-Up of Patients Exposed to Lentiviral-Based CAR T-Cell Therapy	CCTL019A2205B		Previously treated	VIC	External Link
Phase 1b/2 Study of Carfilzomib in Combination with Dexamethasone and Mitoxantrone and PEG-asparaginase& and Vincristine (UK R3 Induction Backbone) in Children with Relapsed or Refractory Acute Lymphoblastic Leukaemia	CE/2008 / 20140106	Acute Lymphoblastic Leukaemia (ALL)	Relapse/refractory	NSW, VIC, QLD, WA	External Link
Phase I/II multicenter study to assess efficacy and safety of ribociclib (LEE011) in combination with topotecan and temozolomide (TOTEM) in pediatric patients with relapsed or refractory neuroblastoma and other solid tumors	CLEE011Q12101	Neuroblastoma	Relapse/refractory	NSW	External Link
A phase i/ii, open-label, single-arm, two-part trial to evaluate safety, tolerability, pharmacokinetics, and anti-tumor activity of glofitamab in combination with chemoimmunotherapy in pediatric and young adult participants with relapsed/refractory mature b-cell non-hodgkin lymphoma	CO43810	Non-hodgkin lymphoma	Relapsed/refractory	QLD, WA	External Link
A pilot and surgical study of larotrectinib for treatment of children with newly-diagnosed high-grade glioma with NTRK fusion	ICONNECT1903	Brain and Spinal Tumours (High Grade Gliomas)	New diagnosis	WA, NSW, QLD	External Link
Phase 2 Study of Systemic IL-6 Receptor Antagonist ACTEMRA® (tocilizumab) for the treatment of Progressive/Recurrent Pediatric Adamantinomatous Craniopharyngioma	CONNECT1905	Adamantinomatous Craniopharyngioma	Relapsed/refractory	WA, NSW	External Link
Phase 2 Study of the MEK Inhibitor MEKTOVI® (Binimetinib) for the Treatment of Progressive/Recurrent Pediatric Adamantinomatous Craniopharyngioma	CONNECT2108	Adamantinomatous Craniopharyngioma	Relapsed/refractory	WA, NSW, QLD	External Link
A Phase 1, Open-label, Parallel Group Study to Investigate Olaparib Safety andTolerability, Efficacy and Pharmacokinetics in Paediatric Patients with Solid Tumours	D0816C00025	Solid Tumours	Relapsed/refractory	WA, NSW	External Link

A Phase 2, Open-Label, Multicenter Study to Evaluate the Safety and Efficacy of the Oral Pan-RAF Inhibitor DAY101 in Pediatric Patients With BRAF-Altered, Recurrent or Progressive Low-Grade Glioma	DAY101-001 (FIREFLY)	Low-grade Glioma	Relapse/refractory	QLD, NSW, WA, SA, VIC	External Link
Phase I/II Trial of Deflexifol for Refractory/Recurrent Paediatric Ependymoma	DEFLEXIFOL (DART)	Ependymoma	Relapsed/refractory	WA, NSW, QLD, VIC	External Link
International Diffuse Intrinsic Pontine Glioma (DIPG)/Diffuse Midline Glioma (DMG) Registry and Repository	DIPG	Diffuse Intrinsic Pontine Glioma		WA, QLD, New Zealand	External Link
A Phase 3 Open-label, Multicenter Study of the Safety, Efficacy, and Pharmacokinetics of Intravenous Recombinant Coagulation Factor VIII Fc-von Willebrand Factor-XTEN Fusion Protein (rFVIIIFc-VWF-XTEN; BIVV001) in Previously Treated Pediatric Patients <12 Years of Age With Severe Hemophilia A	EFC16295	Hemophilia A	Recurrent/ refractory	QLD	External Link
A Phase 3, Randomized, International Multicenter Trial of DAY101 Monotherapy Versus Standard of Care Chemotherapy in Patients With Pediatric Low-Grade Glioma Harboring an Activating RAF Alteration Requiring First-Line Systemic Therapy	Firefly-2	Low-Grade Glioma	Newly diagnosed	New Zealand, NSW, SA, WA, QLD, VIC	External Link
Genomics in Acute Lymphoblastic Leukaemia ANd Thrombosis	GALLANT	Leukaemia	Newly diagnosed	WA, NSW	
Newly Diagnosed Children (<10 y/o) With Medulloblastoma and Other CNS Embryonal Tumors Clinical and Molecular Risk-Tailored Intensive and Compressed Induction Chemotherapy Followed by Consolidation With Randomization to Either Single Cycle or to Three Tandem Cycles of Marrow-Ablative Chemotherapy With Autologous Hematopoietic Progenitor Cell Rescue	HeadStart4	Medulloblastoma / PNET	Newly diagnosed	New Zealand	External Link
Post mortem tumour donation for Diffuse Intrinsic Pontine Glioma – developing DIPG cell cultures to test novel therapeutic strategies	HoTRODS	Diffuse Pontine Glioma Diffuse Midline Glioma High grade glioma	New Diagnosis Relapse	NSW, WA	External Link
High-Risk Neuroblastoma Study 2 of SIOP-Europa-Neuroblastoma (SIOPEN) (HR-NBL2)	HR NBL2	Neuroblastoma	Newly diagnosed	NSW, VIC	External Link
A Phase I/II, Open-Label, Multicenter, Study Evaluating the Safety, Pharmacokinetics, and Efficacy of Alectinib in Pediatric Patients With ALK Fusion- Positive Solid or CNS Tumors for Whom Prior Treatment Has Proven to be Ineffective or for Whom There is No Satisfactory Treatment Available	imatrix (g042286)	Solid tumours	Relapse/refractory	NSW, WA	External Link
I3Y-MC-JPCS: A Phase 1b/2 Study of Abemaciclib in Combination with Irinotecan and Temozolomide (Part A) and Abemaciclib in Combination with Temozolomide (Part B) in Pediatric and Young Adult Patients with Relapsed/Refractory Solid Tumors and Abemaciclib in Combination with Dinutuximab, GM-CSF, Irinotecan, and Temozolomide in Pediatric and Young Adult Patients with Relapsed/Refractory Neuroblastoma (Part C).	I3Y-MC-JPCS	Solid Tumours	Relapsed/refractory	WA, VIC	External Link
Exploratory multinational phase I/II combination study of Nivolumab and Entinostat in children and adolescents with refractory high-risk malignancies	INFORM2 NivEnt	CNS Tumour Solid Tumour	Recurrent/refractory	NSW, VIC, WA	External Link
A clinical trial of donor-derived WT1 specific T cells for prevention of relapse in combination with multiple pathogen specific T cells for prevention of infection in patients undergoing allogeneic haemopoietic stem cell transplant for acute myeloid leukaemia	INTACT-TAA	Leukaemia (AML)	Relapse/refractory	NSW	External Link
International Collaborative Treatment Protocol for Infants Under One Year With Acute Lymphoblastic or Biphenotypic Leukemia	Interfant-06	Leukaemia		NSW, SA, New Zealand, VIC	External Link

International collaborative treatment protocol for infants under one year with KMT2Arearranged acute lymphoblastic leukemia or mixed phenotype acute	Interfant21	Leukaemia	Newly diagnosed	WA	External Link
International Collaborative Treatment Protocol for Children and Adolescents with Langerhans Cell Histiocytosis	LCH-IV	Langerhans Cell Histiocytosis	New diagnosis	NSW, VIC, QLD, WA, TAS, New Zealand	External Link
Liquid biopsies for molecular monitoring of paediatric solid tumours	LIBIO	Solid tumours		NSW	
European Low and Intermediate Risk Neuroblastoma	LINES	Solid tumours (Neuroblastoma)	New diagnosis	NSW, VIC, WA	Exernal Link
A Phase I/II Study of the Oral RET inhibitor LOXO 292 in Paediatric patients with Advanced RET-Altered Solid or Primary Central Nervous System Tumours	LOXO-RET-18036	Brain and Spinal Tumours	Relapse/refractory	NSW, VIC	External Link
A Phase 1/2 Study of the Oral TRK Inhibitor LOXO-101 in Pediatric Patients With Advanced Solid or Primary Central Nervous System Tumors	LOXO-TRK-15003	Solid tumours	New diagnosis Relapse/refractory	NSW, SA	External Link
A Phase 3 Open-label, Multicenter Study of the Long-term Safety and Efficacy of Intravenous Recombinant Coagulation Factor VIII Fc-von Willebrand Factor-XTEN Fusion Protein (rFVIIIFc-VWF-XTEN; BIVV001) in Previously Treated Patients With Severe Hemophilia A	LTS16294	Hemophilia	Previously treated	QLD	External Link
A Single Arm, Open-Label, Phase 1b Trial of Epcoritamab in Pediatric Patients With Relapsed/Refractory Aggressive Mature B-cell Neoplasms	M20-429	Indolent Non-Hodgkin Lymphoma	Relapsed/refractory	NSW, WA, VIC	External Link
Phase III randomized double-blind placebo-controlled trial of metformin for cognitive recovery and white matter growth in paediatric medulloblastoma patients	MetMed	Medulloblastoma	Previously treated	VIC	External Link
A Phase I/II Study of Pembrolizumab (MK-3475) in Children with advanced melanoma or a PD-L1 positive advanced and relapsed or refractory solid tumor or lymphoma	MK-3475-051	Solid Tumour Lymphoma	Relapse/refractory	NSW	External Link
Prospective Study Registry of Peripheral Neuroblastic Tumours Presenting with Spinal Canal Involvement (SCI)	NB SCI Registry	Neuroblastoma		NSW, VIC, WA, SA, TAS	External Link
PrOspective Non-interventional Study in Patients With Locally Advanced or Metastatic TRK Fusion Cancer Treated With Larotrectinib	ON TRK	Solid tumours		NSW, WA	External Link
ONC201 for the Treatment of Newly Diagnosed H3 K27M-mutant Diffuse Glioma Following Completion of Radiotherapy: A Randomized, Double-Blind, Placebo-	ONC201-108	Diffuse Glioma	Newly diagnosed	WA, NSW	External Link
with unresectable or progressive low grade glioma	(O/M-063 (LGG Avastin)	Brain and Spinal Tumours (Low Grade Gliomas)	New diagnosis Relapse/refractory	NSW, VIC, QLD, WA, SA	External Link
Phase 2/3, Multicenter, Randomized, Double-Blind, Placebo-Controlled Study to Assess the Safety and Efficacy of ALVR105 (Viralym-M) Compared to Placebo for the Prevention of AdV, BKV, CMV, EBV, HHV-6, and JCV Infection and/or Disease, in High-Risk Patients After Allogeneic Hematopoietic Cell Transplant.	P-105-202				External Link
Phase I clinical trial of adoptive transfer of multi-virus-specific T cells into TCRaß+/CD19+-depleted haploidentical HSCT recipients	P3505	Haematological diseases	New Diagnosis Relapse/Refractory	QLD, VIC	External Link
A Pharmacokinetic Study of Vincristine in Infants Dosed According to BSA Banded Infant Dosing Tables and Older Children Dosed by Traditional BSA Methods	PEPN22P1	Hematopoietic and Lymphoid Cell Neoplasm Malignant Solid Neoplasm	Newly diagnosed Relapsed/Refractory	QLD	External Link

A combination Therapy Trial using an Adaptive Platform Design for Children and Young Adults with Diffuse Midline Gliomas (DMGs) including Diffuse Intrinsic Pontine Gliomas (DIPGS) at Initial Diagnosis, Post-Radiation Therapy and at Time of Progression	PNOC022	II littiise Midline Glioma	Newly diagnosed Relapsed/Refractory	NSW, VIC, QLD, WA, SA	External Link
A Pivotal Phase 1/2, Single-Arm, Open-label Study to Evaluate the Safety and Efficacy of Ponatinib with Chemotherapy in Pediatric Patients with Philadelphia	Ponatinib-1501 /AALL1922	Leukaemia (ALL)	Relapse/refractory	VIC, WA, QLD	External Link
International Pleuropulmonary Blastoma Registry for PPB, DICER1 and Associated Conditions	PPB DICER	Pleuropulmonary Blastoma		WA, NSW	External Link
Assessment of the Utility of Family-based (Trio) Whole-genome Sequencing for Cancer Predisposition Testing in Sequential Newly Diagnosed Paediatric and Adolescent Cancer Patients	PREDICT	All tumour types	Newly diagnosed	NSW	External Link
PReclSion Medicine for Children with Cancer	PRISM	TAIL LUMOUR Types	New Diagnosis Relapse/Refractory	NSW, VIC, WA	External Link
Ph3, Randomized, Double-Blind, Placebo-Controlled, Parallel-Group Study With Open Label Extension to Evaluate the Efficacy and Safety of Oral Rilzabrutinib in Adults and Adolescents With Persistent or Chronic Immune Thrombocytopenia (ITP)	PRN1008-018	Immune Thrombocytopenia	Recurrent/ refractory	QLD	External Link
stem cell transplantation	R3ACT Fungal	Ilnvacive Filhgal Diceace	Newly diagnosed Relapsed/Refractory	NSW	External Link
A Phase II Canadian Pediatric Brain Tumour Consortium Study of Re-Irradiation as Treatment of Progressive or Recurrent Diffuse Intrinsic Pontine Glioma	ReRAD	Brain and Spinal Tumours	Relapsed/refractory	NSW, VIC, QLD, WA, New Zealand	External Link
International Randomised Controlled Trial of Chemotherapy for the Treatment of Recurrent and Primary Refractory Ewing Sarcoma	RG_13-277 (rEECur)	Solid tumours (Ewings sarcoma)	Relanse/retractory	NSW, VIC, QLD, WA, SA, New Zealand	External Link
An Overarching Study for Children and Adults With Frontline and Relapsed RhabdoMyoSarcoma	RG_17-427 (FAR-RMS)	Rhabdomyosarcoma	Relapsed/refractory	VIC, NSW, WA, New Zealand, NSW, QLD	External Link
Using single-cell RNA-sequencing to identify clonal enrichment in paediatric solid tumours	SCRIPT	Solid tumours		NSW	
AIEOP-BFM study group)	Study10	Lymphoblastic leukaemia	Newly diagnosed	NSW	External Link
A TACL Phase 1/2 Study of PO Ixazomib in combination with chemotherapy for childhood relapsed or refractory ALL and Lymphoblastic Lymphoma (Takeda)	T2017-002	Leukaemia (ALL)	Relapsed/refractory	NSW., VIC	External Link
A retrospective cohort study of response and survival in pediatric patients with relapsed and refractory acute lymphoblastic leukemia (ALL) and lymphoblastic lymphoma (LLy) treated with contemporary salvage therapy	11 7()18-()()1	Leukaemia (ALL) Lymphoma (LLy)	Relapsed/refractory	NSW, VIC	
A Phase I Study of Tagraxofusp With or Without Chemotherapy in Pediatric Patients with Relapsed or Refractory CD123 Expressing Hematologic Malignancies	112020-006	Leukaemia (ALL) Lymphoma	Relapsed/refractory	NSW, VIC	External Link
Safety and oversight of the individually tailored treatment approach: A novel pilot study	TAILOR	IVII TIIMOIIT TVINGS	Newly diagnosed Relapsed/Refractory		External Link
Tumor-Agnostic Precision Immunooncology and Somatic Targeting Rational for You (TAPISTRY) Phase II Platform Trial	TAPISTRY	All tumour types	Relapsed/refractory	NSW, VIC	External Link
	,				

A phase II study of trametinib in paediatric, adolescent and young adult patients with neurofibromatosis type 1 associated plexiform neurofibromas or progressive optic pathway gliomas	TINT	Solid tumours (Other Solid Tumour)	Relapsed/refractory	NSW, VIC, QLD, WA, SA, New Zealand	External Link
A phase 1/2, open-label safety, tolerability, pharmacokinetics and anti-tumour activity study of repotrectinib in paediatric and young adult subjects with advanced or metastatic malignancies harbouring ALK, ROS1 or NTRK1-3 alterations	TPX-0005-07	Solid tumours	Relapsed/refractory	NSW, QLD, WA	External Link
Preventing adverse events during paediatric cancer treatment: A multi-site hybrid randomised controlled trial of catheter lock solutions (The CLOCK trial)	The CLOCK Trial	All tumour types		VIC	External Link
Precision Medicine for Every Child With Cancer	ZERO2	All tumour types	Newly diagnosed Relapsed/Refractory	NSW, QLD, SA	<u>External Link</u>